Attorney's Docket 081468-0305146 Client Reference: P-1585.000-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

Confirmation No: 4722

VAN DER NET et al.

Application No.: 10/623,180

Group Art Unit: 2878

Filed: July 21, 2003

Examiner: Unassigned

Title: LITHOGRAPHIC PROJECTION APPARATUS, GAS PURGING METHOD AND DEVICE MANUFACTURING METHOD AND PURGE GAS SUPPLY SYSTEM

Commissioner for Patents

P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATION OF FACSIMILE TRANSMISSION UNDER 37 C.F.R. §1.8

I hereby certify that the following papers are being facsimile transmitted to the Patent and Trademark Office at (703) 872-9306 on the date shown below:

Status Inquiry

Respectfully submitted

PILLSBURYWINTHROP SHAW PITTMAN LLP

John P. Darling

Reg. No. 44482

Tel. No.: (703) 905-2045 Fax No.: (703) 905-2500

Date: April 4, 2005

P.O. Box 10500 McLean, VA 22102

Tel. No.: (703) 905-2000

Customer No.: 00909

TOTAL NUMBER OF PAGES IN FACSIMILE: 2

30520727v1

+703-905-2500

PATENT

Attorney's Docket No. 081468-0305146 Client Reference: P-1585.000-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Confirmation No.: 4722

VAN DER NET et al.

Group No.: 2878

Application No.: 10/623,180

Filed: 07/21/2003

Examiner: Unassigned

For:

LITHOGRAPHIC PROJECTION APPARATUS, GAS PURGING METHOD

AND

DEVICE MANUFACTURING METHOD AND PURGE GAS SUPPLY SYSTEM

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

STATUS INQUIRY

More than twenty months have passed since the filing of this application on July 21, 2003. No communication has been received from the Patent and Trademark Office indicating action on this application.

The undersigned requests to be advised in writing of the present status of this application.

Date: April 4, 2005

PILLSBURY WINTHROP SHAW PITTMAN LLP

P.O. Box 10500 McLean, VA 22102

Tel. No. (703) 905-2000

Customer No.: 00909

ignature of Practitioner

John P. Darling Reg. No.: 44482

Tel. No.: (703.) 905-2045 Fax No.: (703) 905-2500